



04 Health policy

Alongside associated procedures in 04.1-04.6 Health, this policy was adopted by

Playstation Pre-school on 8th October 2025

Aim

Playstation Preschool is a suitable, clean, and safe place for children to be cared for, where they can grow and learn. They meet all statutory requirements for promoting health and hygiene and fulfil the criteria for meeting the relevant Early Years Foundation Stage Safeguarding and Welfare requirements.

Objectives

We promote health through:

- ensuring emergency and first aid treatment is given where necessary
- ensuring that medicine necessary to maintain health is given correctly and in accordance with legal requirements
- identifying allergies and preventing contact with the allergenic substance
- Having ongoing discussions with parents/carers to develop allergy action plans for managing individual children's known allergies and intolerances.
- Ensuring that all staff are aware of the symptoms and treatments for allergies and anaphylaxis and that children can develop these at any time, especially during weaning.
- Ensuring that all staff know the difference between allergies and intolerances.
- identifying food ingredients that contain recognised allergens and displaying this information for parents
- Identifying and promoting health through taking necessary steps to prevent the spread of infection and taking appropriate action when children are ill
- Ensuring that ongoing discussions with parents take place regarding the stage their child is at in relation to introducing solid foods including the texture the child is familiar with.
- Ensuring that food prepared is in line with the child's individual developmental needs.
- Working in partnership with parents to help children to move on to the next stage of weaning at a pace that is right for their child.
- Ensuring that food is prepared for children in a way that prevents choking.

Continued 2 ...

- Ensuring that young children are sat safely in a suitable low sized chair when eating.
- Ensuring that children are always in sight and hearing of a staff member, who is a paediatric first aider, whilst eating and the staff member is sat facing the children.
- Recording all choking incidents that requires intervention
- promoting healthy lifestyle choices through diet and exercise
- supporting parents right to choose complementary therapies
- pandemic flu planning or illness outbreak management as per DfE and World Health Organisation (WHO) guidance

Legal references

Medicines Act (1968)

Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR)

Control of Substances Hazardous to Health (COSHH) Regulations (2002)

Health and Safety (First Aid) Regulations 1981

Food Information Regulations 2014

Early Years Foundation Stage 2025

Further guidance

[Accident Record](#) (Alliance Publication)

04.1 Accidents and emergency treatment

Person responsible for checking and stocking first aid box: Helen Hill

The setting provides care for children and promotes health by ensuring emergency and first aid treatment is given as required. There are also procedures for managing food allergies in section 03 Food safety and nutrition and 04 Health

- Parents' consent to emergency medical treatment consent on registration.
- All staff are paediatric first aiders, who regularly update their training. We consider the number of children, staff, staff breaks and the layout of our setting to ensure that a paediatric first aider is always available and can respond to emergencies. We ensure that the training provider who delivers PFA training to our staff are competent.
- Students and trainees that have PFA training may be included in ratios at the level below their level of study if we are satisfied that they are competent and responsible.
- First Aid certificates are renewed at least every three years. In line with the EYFS 2024 all staff who obtained a level 2 and/or level 3 qualification since 30 June 2016 must obtain a PFA qualification within three months of starting work in order to be counted in ratios.
- All members of staff know the location of First Aid boxes, the contents of which are in line with St John's Ambulance recommendations as follows:
 - 20 individually wrapped sterile plasters (assorted sizes)
 - 2 sterile eye pads
 - 4 individually wrapped triangular bandages (preferably sterile)
 - 6 safety pins
 - 2 large, individually wrapped, sterile, un-medicated wound dressings
 - 6 medium, individually wrapped, sterile, un-medicated wound dressings
 - a pair of disposable gloves
 - adhesive tape
 - a plastic face shield (optional)
- No other item is stored in a First Aid box.
- Vinyl single use gloves are also kept near to (not in) the box, as well as a thermometer.
- There is a named person in the setting who is responsible for checking and replenishing the First Aid Box contents.

• Continued 2 ...

•

- For minor injuries and accidents, First Aid treatment is given by a qualified first aider; the event is recorded on the setting's Accident Record or digital recording system. Parents may have a photo-copy of the accident form on request.
- In the event of minor injuries or accidents, parents are normally informed when they collect their child, unless the child is unduly upset or members of staff have any concerns about the injury. In which case they will contact the parent for clarification of what they would like to do, i.e. collect the child or take them home and seek further advice from NHS 111.

Serious accidents or injuries

- An ambulance is called for children requiring emergency treatment.
- First aid is given until the ambulance arrives on scene. If at any point it is suspected that the child has died, 06.07 Death of a child on site procedure is implemented and the police are called immediately.
- The registration form is taken to the hospital with the child.
- Parents or carers are contacted and informed of what has happened and where their child is being taken to.
- If the parents/carers do not arrive at the setting before the ambulance sets off for the hospital, a member of staff accompanies the child and remains with them until the parent/carer arrives.
- The setting manager arranges for a taxi to take the child and carer to hospital for further checks, if deemed to be necessary.

Recording and reporting

- In the event of a serious accident, injury, or serious illness, the setting manager notifies the committee using 6.1c Confidential Safeguarding Incident report form, or other agreed reporting format, as soon as possible.
- If required, a RIDDOR form is completed; one copy is sent to the parent, one for the child's file and one for the local authority Health and Safety Officer.
- The committee are notified by the setting manager of any serious accident or injury to, or serious illness of, or the death of, any child whilst in their care in order to be able to notify Ofsted and any advice given will be acted upon. Notification to Ofsted is made as soon as is reasonably practicable and always within 14 days of the incident occurring. The designated person will, after consultation with the committee, inform local child protection agencies of these events

Further guidance

[Accident Record](#) (Alliance Publication)



04.2 Administration of medicine

Key persons are responsible for administering medication to their key children; ensuring consent forms are completed, medicines stored correctly and records kept.

Administering medicines during the child's session will only be done if absolutely necessary.

If a child has not been given a prescription medicine before, it is advised that parents keep them at home for 48 hours to ensure no adverse effect, and to give it time to take effect. The setting managers must check the insurance policy document to be clear about what conditions must be reported to the insurance provider.

Consent for administering medication

- Only a person with parental responsibility (PR), or a foster carer may give consent. A childminder, grandparent, parent's partner who does not have PR, cannot give consent.
- When bringing in medicine, the parent informs their key person/back up key person, or room senior if the key person is not available. The setting manager should be also be informed.
- Staff who receive the medication, check it is in date and prescribed specifically for the current condition. It must be in the original container (not decanted into a separate bottle). It must be labelled with the child's name and original pharmacist's label if prescribed.
- Medication dispensed by a hospital pharmacy will not have the child's details on the label but should have a dispensing label. Staff must check with parents and record the circumstance of the events and hospital instructions as relayed to them by the parents.
- Members of staff who receive the medication ask the parent to sign a consent form stating the following information. No medication is given without these details:
 - full name of child and date of birth
 - name of medication and strength
 - who prescribed it (if applicable)
 - dosage to be given
 - how the medication should be stored and expiry date
 - a note of any possible side effects that may be expected
 - signature and printed name of parent and date

Continued 2 ...

Storage of medicines

All medicines are stored safely. Refrigerated medication is stored separately or clearly labelled in the main kitchen fridge.

- The key person is responsible for ensuring medicine is handed back at the end of the day to the parent.
- For some conditions, medication for an individual child may be kept at the setting. 04.2a Healthcare plan form must be completed. Key persons check that it is in date and return any out-of-date medication to the parent.
- Parents do not access where medication is stored, to reduce the possibility of a mix-up with medication for another child, or staff not knowing there has been a change.

Record of administering medicines

A record of medicines administered is kept in the setting manager's office.

The medicine record book records:

- name of child
- name and strength of medication
- the date and time of dose
- dose given and method
- signed by key person/witness
- verified by parent signature at the end of the day

A witness signs the medicine record book to verify that they have witnessed medication being given correctly according to the procedures here.

- No child may self-administer. If children are capable of understanding when they need medication, e.g. for asthma, they are encouraged to tell their key person what they need. This does not replace staff vigilance in knowing and responding.
- The medication records are monitored to look at the frequency of medication being given. For example, a high incidence of antibiotics being prescribed for a number of children at similar times may indicate a need for better infection control.

Continued 3 ...

Children with long term medical conditions requiring ongoing medication

- Risk assessment is carried out for children that require ongoing medication. This is the responsibility of the setting manager and key person. Other medical or social care personnel may be involved in the risk assessment.
- Parents contribute to risk assessment. They are shown around the setting, understand routines and activities and discuss any risk factor for their child.
- For some medical conditions, key staff will require basic training to understand it and know how medication is administered. Training needs is part of the risk assessment.
- Risk assessment includes any activity that may give cause for concern regarding an individual child's health needs.
- Risk assessment also includes arrangements for medicines on outings; advice from the child's GP's is sought if necessary, where there are concerns.
- 04.2a Health care plan form is completed fully with the parent; outlining the key person's role and what information is shared with other staff who care for the child.
- The plan is reviewed every six months (more if needed). This includes reviewing the medication, for example, changes to the medication or the dosage, any side effects noted etc.

Managing medicines on trips and outings

- Children are accompanied by their key person, or other staff member who is fully informed about their needs and medication.
- Medication is taken in a plastic box labelled with the child's name, name of medication, copy of the consent form and a card to record administration, with details as above.
- The card is later stapled to the medicine record book and the parent signs it.
- If a child on medication has to be taken to hospital, the child's medication is taken in a sealed plastic box clearly labelled as above.

Staff taking medication

Staff taking medication must inform their manager. The medication must be stored securely in the office in a labelled plastic box away from the children. The manager must be made aware of any contra-indications for the medicine so that they can risk assess and take appropriate action as required.

Further guidance

[Medication Administration Record](#) (Alliance Publication)



04.3 Life-saving medication and invasive treatments

Life-saving medication and invasive treatments may include adrenaline injections (Epipens) for anaphylactic shock reactions (caused by allergies to nuts, eggs etc) or invasive treatment such as rectal administration of Diazepam (for epilepsy).

- The key person responsible for the intimate care of children who require life-saving medication or invasive treatment will undertake their duties in a professional manner having due regard to the procedures listed above.
- The child's welfare is paramount, and their experience of intimate and personal care should be positive. Every child is treated as an individual and care is given gently and sensitively; no child should be attended to in a way that causes distress or pain.
- The key person works in close partnership with parents/carers and other professionals to share information and provide continuity of care.
- Children with complex and/or long-term health conditions have a health care plan (04.2a) in place which takes into account the principles and best practice guidance given here.
- Key persons have appropriate training for administration of treatment and are aware of infection control best practice, for example, using personal protective equipment (PPE).
- Key persons speak directly to the child, explaining what they are doing as appropriate to the child's age and level of comprehension.
- Children's privacy is considered and balanced with safeguarding and support needs when changing clothing, nappies and toileting
- Children's right to privacy and modesty is respected. Another educator is usually present during the process.

Record keeping

For a child who requires invasive treatment the following must be in place from the outset:

- a letter from the child's GP/consultant stating the child's condition and what medication if any is to be administered
- written consent from parents allowing members of staff to administer medication
- proof of training in the administration of such medication by the child's GP, a district nurse, children's nurse specialist or a community paediatric nurse
- a healthcare plan (04.2a)

Continued 2 ...

Copies of all letters relating to these children must be sent to the insurance provider for appraisal. Confirmation will then be issued in writing confirming that the insurance has been extended. A record is made in the medication record book of the intimate/invasive treatment each time it is given.

Physiotherapy

- Children who require physiotherapy whilst attending the setting should have this carried out by a trained physiotherapist.
- If it is agreed in the health care plan that the key person should undertake part of the physiotherapy regime then the required technique must be demonstrated by the physiotherapist personally; written guidance must also be given and reviewed regularly. The physiotherapist should observe the educator applying the technique in the first instance.

Safeguarding/child protection

- Educators recognise that children with SEND are particularly vulnerable to all types of abuse, therefore the safeguarding procedures are followed rigorously.
- If an educator has any concerns about physical changes noted during a procedure, for example unexplained marks or bruising then the concerns are discussed with the designated person for safeguarding and the relevant procedure is followed.

Treatments such as inhalers or Epi-pens must be immediately accessible in an emergency.



04.4 Allergies and food intolerance

Before a child starts at Playstation Preschool, parents are asked if their child has any known allergies or food intolerance. This information is recorded on the registration form. **On going discussions must take place with parents/carers and where appropriate health professionals to develop allergy action plans for managing any known allergies and food intolerances. This information must be kept up to date on a child's registration form and shared with all staff.**

- **All staff at Playstation Preschool must be aware of the symptoms and treatments for allergies and anaphylaxis and the difference between allergies and food intolerances**
- If a child has an allergy or food intolerance, 01.1a Generic risk assessment form is completed with the following information:
 - the risk identified – the allergen (i.e. the substance, material or living creature the child is allergic to such as nuts, eggs, bee stings, cats etc.)
 - the level of risk, taking into consideration the likelihood of the child coming into contact with the allergen
 - control measures, such as prevention from contact with the allergen
 - review measures
- 04.2a Health care plan form must be completed with:
 - the nature of the reaction e.g. anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
 - managing allergic reactions, medication used and method (e.g. Epipen)
- The child's name is added to the Dietary Requirements list.
- A copy of the risk assessment and health care plan is kept in the child's personal file and is shared with all staff and is also kept in the Food Allergy and Dietary Needs file in the kitchen.
- Parents show staff how to administer medication in the event of an allergic reaction.
- Generally, no nuts or nut products are used within the setting.
- Parents are made aware, so that no nut or nut products are accidentally brought in.
- Any foods containing food allergens are identified.

Continued 2 ...

Oral Medication

- Oral medication must be prescribed or have manufacturer's instructions written on them.
- Staff must be provided with clear written instructions for administering such medication.
- All risk assessment procedures are adhered to for the correct storage and administration of the medication.
- The setting must have the parents' prior written consent. Consent is kept on file.

For other life-saving medication and invasive treatments please refer to 04.2 Administration of medicine.



04.5 Poorly children

If a child appears unwell during the day at Playstation Preschool, for example has a raised temperature, sickness, diarrhoea* and/or pains, particularly in the head or stomach then the setting manager calls the parents and asks them to collect the child or send a known carer to collect on their behalf.

If a child has a raised temperature, top clothing may be removed to make them more comfortable, but children are not undressed or sponged down to cool their temperature. A high temperature should never be ignored, but it is a natural response to infection.

A child's temperature is taken and checked regularly, using head thermometer or an ear thermometer**.

In an emergency an ambulance is called and the parents are informed.

Parents are advised to seek medical advice before returning them to the setting; **the setting can refuse admittance to children who have a raised temperature, sickness and diarrhoea or a contagious infection or disease.**

Where children have been prescribed antibiotics for an infectious illness or complaint, parents are asked to keep them at home for 48 hours.

After diarrhoea or vomiting, parents are asked to keep children home for 48 hours following the last episode.

Some activities such as sand and water play and self-serve snack will be suspended for the duration of any outbreak.

The setting has information about excludable diseases and exclusion times.

The setting manager notifies the committee if there is an outbreak of an infection (affects more than 3-4 children) and keeps a record of the numbers and duration of each event.

Notifiable diseases and infection control

If educators suspect that a child who falls ill whilst in their care is suffering from a serious disease that may have been contracted abroad such as Ebola, immediate medical assessment is required. The setting manager or deputy calls NHS111 and informs parents.

Preventative measures are taken to reduce the risk of an outbreak returning. When an individual shows signs of an infectious illness, they are advised not to attend the service. If a child is already at the setting, they will be made comfortable in a space away from the other children to rest until they are able to be collected. The importance of thorough handwashing will be reiterated, and the educators will promote the 'catch it, bin it, kill it' approach with children and young people

Continued 2 ...

In the case of an outbreak of a notifiable disease which has been confirmed by a medical professional, the setting manager will seek further advice from the UKHSA, if not already contacted by them.

The setting manager has a list of notifiable diseases and contacts the UK Health Security Agency(UKHSA), Ofsted, or the childminder agency in the event of an outbreak.

Unwell children upon arrival

On arrival, it is vital that parents/carers inform a member of staff if they notice their child may be showing signs of being unwell. It is the responsibility of the parents / carers to ensure their child does not attend the service if they are not fit to; this is a precautionary measure to prevent other children or staff from becoming ill. If a child is brought into the service with a non-prescription medication to treat a temporary illness or appears to show signs of being unwell, the setting manager will use their discretion to decide whether a child is fit to remain in the service.

Infection control for bodily fluids – transmissible viruses

Viruses such as Hepatitis, (A, B and C), are spread through body fluids. Hygiene precautions for dealing with body fluids are the same for all children and adults. Transmittable viruses are spread through bodily fluids. Hygiene measures are put in place to protect all staff and children/young people. These include single use vinyl gloves and aprons are worn when changing children's nappies, pants and clothing that are soiled with blood, urine, faeces or vomit.

Protective rubber gloves are used for cleaning/sluicing clothing after changing.

Soiled clothing is rinsed and bagged for parents to collect.

Spills of blood, urine, faeces or vomit are cleared using mild disinfectant solution and mops; cloths used are disposed of with clinical waste.

Tables and other furniture or toys affected by blood, urine, faeces or vomit are cleaned using a disinfectant. Children mouthing toys are kept clean and plastic toys cleaned in sterilising solution regularly.

Handwashing

Handwashing is a crucial infection control measure which reduces the spread of illness. Adults, children and

young people should regularly wash their hands, and increase this where there is an infection outbreak.

This should be carried out by all

Continued 3 ...

After outside breaks

Before meals and snack times

Before preparation of snack and meals

After using the toilet

After nappy or clothing changes

After the removal of personal protective equipment (PPE), including gloves.

After blowing noses

Before and after administering medication

Public Health England advises that children and staff should be encouraged to catch sneezes with a tissue, bin the tissue and wash their hands.

Nits and head lice

Nits and head lice are not an excludable condition; although in exceptional cases parents may be asked to keep the child away from the setting until the infestation has cleared.

On identifying cases of head lice, all parents are informed and asked to treat their child and all the family, using current recommended treatments methods if they are found.

*Diarrhoea is defined as 3 or more liquid or semi-liquid stools in a 24-hour period. (www.gov.uk/government/publications/health-protection-in-schools-and-other-childcare-facilities/chapter-9-managing-specific-infectious-diseases#diarrhoea-and-vomiting-gastroenteritis)

****Paracetamol based medicines (e.g. Calpol)**

A setting cannot take bottles of non-prescription medicine from parents to hold on a 'just in case' basis unless there is an immediate reason for doing so. Settings do not normally keep such medicine on the premises as they are not allowed to 'prescribe'. Such medicine should never be used to reduce temperature so that a child can stay in the care of the setting for a normal day. A child who is not well, and has a temperature, must be kept cool and the parents asked to collect straight away.

Whilst the brand name Calpol is referenced, there are other products which are paracetamol or ibuprofen based pain and fever relief such as Nurofen for children over 3 months.

Further guidance

[Good Practice in Early Years Infection Control](#) (Alliance Publication)

[Medication Administration Record](#) (Alliance Publication)

Guidance on infection control in schools and other childcare settings (Public Health Agency)

https://www.publichealth.hscni.net/sites/default/files/Guidance_on_infection_control_in%20schools_poster.pdf

High temperature (fever) in children - NHS (www.nhs.uk



04.06 Oral health

Playstation Preschool provides care for children and promotes health through promoting oral health and hygiene, encouraging healthy eating, healthy snacks and tooth brushing.

- Fresh drinking water is available at all times and easily accessible.
- Sugary drinks are not served.
- In partnership with parents, are discouraged from using a bottle.
- Only water and milk are served with morning and afternoon snacks.
- Children are offered healthy nutritious snacks with no added sugar.
- Parents are discouraged from sending in confectionary as a snack or treat.
- Staff follow the Infant & Toddler Forum's Ten Steps for Healthy Toddlers.

Pacifiers/dummies

- Parents are *advised* to stop using dummies/pacifiers
- Dummies that are damaged are disposed of and parents are told that this has happened

Further guidance

Infant & Toddler Forum: Ten Steps for Healthy Toddlers www.infantandtoddlerforum.org/toddlers-to-preschool/healthy-eating/ten-steps-for-healthy-toddlers/